Attorney's Docket No. 9250-5CTIP4XX

### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re: Fischer et al.

International Appl. No.: PCT/US01/18611 International Filing Date: 8 June 2001

For: METHOD FOR DETECTING A LIPOPROTEIN-ACUTE PHASE PROTEIN

COMPLEX AND PREDICTING AN INCREASED RISK OF SYSTEM FAILURE

OR MORTALITY

Date: December 19, 2001

BOX PCT Commissioner for Patents Washington, DC 20231

### INFORMATION DISCLOSURE STATEMENT

Sir:

Attached is a list of documents on form PTO-1449 together with a copy of each identified document. It is requested that these documents be considered by the Examiner and officially made of record in accordance with the provisions of 37 C.F.R. § 1.97 and Section 609 of the MPEP. The Commissioner is hereby authorized to charge any additional fee, which may be required, or credit any refund, to our Deposit Account No. 50-0220.

Respectfully submitted

Registration No. 36,811

Robert W. Glatz

**Customer Number:** 

20792

CERTIFICATE OF EXPRESS MAILING

Express Mail Label No.: EV015664094US Date of Deposit: December 19, 2001

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to Box PCT,

Commissioner of Patents, Washington, DC 20231.

Michele P. McMahan Date of Signature: December 19, 2001

9250-5CTIP4XX

Serial No. To Be Assigned

Sheet \_1\_

#### LIST OF DOCUMENTS CITED BY APPLICANT

(Use several sheets if necessary)

Applicants:

Fischer et al.

Filing Date: Concurrently Herewith

Group Unknown

#### U. S. PATENT DOCUMENTS

Examiner Initial		Document Number	Date	Name	Class	Subclass	Filing Date if Appropriate
·	1	4,782,014	11/01/88	Serban et al.	435	7	
	2	4,902,630	02/20/90	Bennett et al.	436	546	
-	3	5,003,065	03/26/91	Merritt et al.	540	469	
	4	5,221,628	06/22/93	Anderson et al.	436	5074	
V. Maria	5	5,358,852	10/25/94	Wu	435	7.94	
	6	5,500,345	03/19/96	Soe et al.	435	7.1	
	7	5,593,897	01/14/97	Potempa et al.	436	507	
	8	6,040,147	03/21/00	Ridker et al.	435	7.24	

#### FOREIGN PATENT DOCUMENTS

		Document Number	Date	Country	Class	Subclass	Translation Yes   No
	9	EP 818 680	01/14/98	EP	G01N	33/546	
	10	JP 04-254760	09/10/92	Japan - Abstract	G01N	33/53	
	11	WO 89/09628	10/19/89	WIPO			
	12	WO 91/00872	01/24/91	WIPO	C07K	15/28	
	13	WO 91/05874	05/02/91	WIPO	C12Q	1/00	
	14	WO 93/09438	05/13/93	WIPO	G01N	33/68	
·	15	WO 93/24530	12/09/93	WIPO	C07K	15/06	
	16	WO 96/06624	03/07/96	WIPO	A61K	35/16	
	17	WO 97/04317	02/06/97	WIPO	G01N	33/68	

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

18	Artherotech, VAP/CAD Lipoprotein Risk Assessment Test and Sample of VAP Profile, http://www.artherotech.com/risk_assessment.html
19	Cabana, et al., Effects of the acute phase response on the concentration and density distribution of plasma lipids and apolipoproteins, LLipid Res., 30:39-49 (1989).
20	Cabana, et al., Inflammation-induced changes in rabbit CRP and plasma lipoproteins, LImmunol., 130(4):1736-1742 (April 1983).

**EXAMINER** \*EXAMINER DATE CONSIDERED

# FORM PTO-1449 U.S. Department of Commerce

Attorn 310 Reo	onvel
9250-5C	ΓΙΡ4XX

Patent and Trademark Office		t and Trademark Office	9250-5C11P4XX	10 Be			
LIST OF DOCUMENTS CITED BY APPLICANT		CUMENTS CITED BY APPLICANT	1	0 / 0 1 9 0 8			
	(Use	e several sheets if necessary)					
			Applicants: Fischer et al.				
			Filing Date: Concurrently Herewith	Group Unknown			
		OTHER DOCUMENTS (Including Author	r, Title, Date, Pertinent Pages, Etc.)				
	21	Cabana, et al., Interaction of very low density Limmunol., 128(5):2342-2348 (May 1982).	ly lipoproteins (VLDL) with rabbit C- re	eactive protein,			
	22	Canivet, et al., Postoperative changes in lipi endocrine mediators, Acta Anaesthesiol.Bel	nivet, et al., Postoperative changes in lipid profile: their relations with inflammatory markers and docrine mediators, Acta Anaesthesiol.Belg., 40(4):263-268 (1989).				
	23	Christner and Mortensen, Specificity of the binding interaction between human serum amyloid P-component and immobilized human C-reactive protein, LBiol.Chem., 269(13):9760-9766 (April 1996)					
	24	de Beer, et al., Low density lipoprotein and very low density lipoprotein are selectively bound by aggregated C-reactive protein, LExp.Med., 156:230-242 (July 1982).					
	25	Dennis et al., Utility of prothrombin time waveform analysis in the routine clinical setting, Abstract Instruction and Submission Form, (Sept. 1999).					
	26	Downey et al., The robustness and reproducibility of APTT waveform analysis in relation to reagent and batch variation, abstract only.					
	27	Downey et al., Transmittance waveforms - a Int.J.Hematol., 64 Suppl:S160, Abstract #6	ndjunctive information from automated 519, (Aug. 1996).	coagulometers,			
	28	Downey, et al., Novel and diagnostically apblood coagulation in disseminated intravasc	plicable information from optical wave cular coagulation , Br.L.Haematol., 98:	form analysis of 68-73 (1997).			
	29	Eitoku et al. et al., Studies on the serum amy immunoassay system for the quantitation of Physico.Chem.Biol., 37:19-23 (Feb. 1993).	SAA in human serum and its clinical ve	on nephelometric alues,			
	30	Engler, R., [Acute-phase proteins in inflami	mation], C.R.Seances Soc.Biol.Fil., 189	9(4):563-578 (1995).			
	31	Gewurz, et al., C-reactive protein and the ac					
	32	Harris et al., Reactivity of serum amyloid P component with C-reactive protein and IgM, Clin.Res., 37 Abstract #614A (1989).					
	33	Hulman and Fuller, Comparison of fat aggle Clin.Chim.Acta, 165:89-93 (5-29-1987).	utination slide test and latex test for C-	reactive protein,			
	34	Hulman, et al., Agglutination of intralipid by 1982).	y sera of acutely ill patients, Lancet, 2:	1426-1427 (Dec.			
	35	Hulman, G., The pathogenesis of fat emboli	ism, LPathol., 176:3-9 (1995).				
	36	Husebekk, et al., High-density lipoprotein hamyloidogenic apoproteins are easier to dis 28:653-658 (1988).	has different binding capacity for differe	ent apoproteins. The cand.Limmunol.,			
	37	Lagrand, et al., C-reactive protein as a card	diovascular risk factor: more than an ep	piphenomenon?,			

# FORM PTO-1449 U.S. Department of Commerce Patent and Trademark Office

### LIST OF DOCUMENTS CITED BY APPLICANT

Attorby 10 Revenue C...
9250-5CTIP4XX

To Be
Assigned

10/019087

	(Use several sheets if necessary)		10,	01700		
			Applicants: Fischer et al.			
			Filing Date: Concurrently Herewith	Group Unknown		
		OTHER DOCUMENTS (Including Author	r, Title, Date, Pertinent Pages, Etc.)			
	38	Lindh, et al., Agglutinate formation in serum Med., 13(3):151-154 (March 1985).	n samples mixed with intravenous fat emulsi	ons, Crit Care		
	39	Malle, et al., Serum amyloid A (SAA): an act 102:131-146 (1993).	Malle, et al., Serum amyloid A (SAA): an acute phase protein and apolipoprotein, Atherosclerosis, 102:131-146 (1993).			
	40	Maury et al., Clinical usefulness of serum amyloid A and C-reactive protein measurements in inflammatory disorders a comparative study, Marker Proteins in Inflammation Proceedings, Symposium, Lyon, France, 3:Abstract only-(1985), 153-156				
	41	McCarty, M., Historical perspective on C-re	eactive protein, Ann.N.Y.Acad.Sci., 389:1-1	0 (1982).		
	42	McDonald, et al., A monoclonal antibody sa LImmunol.Methods, 144:149-155 (11-22-19		(SAA) protein,		
	43	Pepys, et al., C-reactive protein: binding to (1985).	lipids and lipoproteins, Int.Rev.Exp.Pathol.	<b>, 27</b> :83-111		
	44	Preciado-Pratt et al. et al., Serum amyloid A of tumor necrosis factor-alpha by human T-1988).	complexed with extracellular matrix induce lymphocytes, Letters in Peptide Science, 5:3	es the secretion 49-355 (Oct.		
	45	Richter, et al., The fat emulsion agglutinatio agglutination test for rapid bedside CRP me	on test: a reliable and cost effective alternativessurement, Clin.Chim.Acta, 261:141-148 (	ive to the latex May 1997).		
	46	Robin et al., Prognostic value of waveform of 25(Suppl 1):S63 (1999).	analysis in the intensive care setting, Intensi	ve Care Med.,		
	47	Rowe, et al., Agglutination of intravenous life reactive protein, Clin.Exp.Immunol., 66:241		roteins by C-		
	48	Rowe, et al., Circulating human C-reactive of Clin. Exp. Immunol., 58:237-244 (1984).	protein binds very low density lipoproteins,			
	49	Rowe, et al., In vivo turnover studies of C-re-Clin. Exp. Immunol., 58:245-252 (1984).	eactive protein and lipoproteins in the rabbi	īt,		
	50	Rowe, et al., Rabbit and rat C-reactive prote LExp.Med., 159:604-616 (Feb. 1984).	eins bind apolipoprotein B-containing lipop	roteins,		
	51	Rybarska, J., Konieczny, L., Piekarska, B., Sacute phase serum protein complexes and in Pharmacol., 46(2):221-231 (June 1995).	Stopa, B., and Roterman, I. et al., The detect nmune complexes by congo red binding, LP	ion of specific hysiol		
	52	Sammalkorpi, et al., Lipoproteins and acute between C-reactive protein and serum amyle (1990).	phase response during acute infection. Inte	errelationships 22:397-401		

## EXAMINER \*EXAMINER

	····		531 Rec 1007.		19 DFC 200		
FORM PTO-1449 U.S. Department of Commerce Patent and Trademark Office			Attorney Docket Number 9250-5CTIP4XX		Serial No. To Be Assigned		
LIST OF DOCUMENTS CITED BY APPLICANT				10			
	(Us	e several sheets if necessary)	Applicants:	et al.	1		
			Filing Date: Concurrently Herewith		Group Unknown		
		OTHER DOCUMENTS (Including Author	r, Title, Date, Pertinent Pages, Etc	c.)			
	53	Schwalbe, et al., Association of rat C-reactive containing apolipoproteins E and A1, Bioch					
	54	Simmons, A. Ethanol-gel solubility test, In: Company, Philadelphia, PA, pg. 334-335 (19)	Technical Hematology, 3rd Edition, J.B. Lippincott 1980).				
	55	Stewart, et al., Sensitive and rapid measurem LClin.Pathol., 40:585-588 (1987).	rement of C-reactive protein (CRP) by lipid agglutination,				
	56		anson, et al., Human serum amyloid P-component (SAP) selectively binds to immobilized or bound ans of C-reactive protein (CRP), Biochim Biophys. Acta, 1160:309-316 (12-28-1992).				
	57	Toh and Downey, A previously unrecognized independent characterizes the pre-DIC state Form, Abstract #450426 (1999).	d mechanism that is calcium-depe , The American Society of Hema	endent an tology, 19	d thrombin- 1999 Submission		
	58	Toh and Downey, The mechanism underlying independent but calcium-dependent, Europea	g the atypical clot waveform prop an Haematology Association, Ab	file of DIC stract For	C is thrombin- m (June 2000).		
	59	Toh et al., APTT Waveform analysis: predict transmittance level at 18 seconds, XVII Con Abstract Submission Form, (Aug. 1999).	ting mortality in the critical care gress International Society for Th	setting us irombosis	ing the light  S. & Haemostasis,		
	60	Toh et al., Characterization of the novel calc DIC of sepsis, abstract only.	cium-activation, thrombin suppre	ssion asso	ay (CaTs) in the		
	61	Toh et al., Impending clinical decompensation dependent and thrombin-independent pathwo and Sepsis Pathophysiology, Immune Consequence 2000).	ay, 5th World Congress on Traun	na, Shock	, Inflammation		
	62	Toh et al., Prospective detection of pre-disse by waveform analysis, XVII Congress Intern Submission Form, (Aug. 1999).					
	63	Toh et al., Waveform analysis of the prothroid disseminated intravascular coagulation, XV Haemostasis, Abstract Submission Form, (Au	II Congress International Society				
	64	Toh, C.H., Disseminated intravascular coage Rev., pg 18 (Jan. 1998).	ulation (DIC): Old problem, new	hope, Cl	in Hemostasis		
	65	Wilkins, et al., Rapid automated enzyme imn	nunoassay of serum amyloid A, C	lin.Chem	., 40(7):1284-		

1290 (1994).